



MARCHEF

广州叁越食品机械有限公司
GUANGZHOU SANYUE FOOD EQUIPMENT CO.,LTD

+86-18816804012 / 0086-020-31360549

admin@marchefchina.com

www.marchefequip.com
www.marchefchina.com
www.gzmarchef.en.alibaba.com

出口部地址：
广州市番禺区大龙街道眉山竹苑3号-5栋
Building 5.No.3 Meishan Street ,Dalong Stree.Panyu District,Guangzhou City

工厂地址：
中山市南头镇升辉路20号
No 20 .Shenghui Rd.Nantou Town.Zhongshan Guangdong

工厂地址：
广州市番禺区石基镇茶东路38号
No.38 Chadong Rd.Shiji Town.Panyu Guangzhou City



2025

Food Preparation Equipment Product Brochure

CATALOGUE

BAKERY EQUIPMENT

- 01 Food Mixer
- 02 Planetary Mixer
- 03 Fresh Milk Dispenser
- 03 Small Counter Top Dough Mixer
- 04 Spiral Mixer
- 05 Dough Divider
- 05 Dough Sheeter
- 06 Cake Smearing Machine
- 06 Shaping Machine
- 06 Pizza Machine
- 06 Bread Slicer
- 07 Dough Pressing Machine
- 07 Noodle Presses
- 07 Pasta Maker
- 08-09 Electric Pizza Oven
- 10 Hot Air Crawler Type Pizza Oven
- 11-14 Convection Oven
- 15-16 Chicken Rotisserie
- 17-20 Commercial Oven
- 21 Electric Proofer
- 21-22 Multifunction Oven

PACKIN MACHINE

- 24 Vacuum Machine
- 24 Vacuum Tumbler
- 25 Tray Sealer
- 25 Manual Sausage Clipper
- 25 Plastic Film Sealer
- 26 Cup Sealing Machine


FOOD PROCESSOR

- 28 Meat Slicer
- 29 Bowl Cutter
- 30 Meat Grinder
- 31 Meat Mixer
- 31 Electric Sausage Stuffer
- 32 Manual Sausage Stuffer
- 32 Manual Sausage Slicer
- 33 Bone Saw
- 34 Meat Tenderizer
- 34 Hamburger Press
- 35 Meatball Forming Machine
- 35 Meatball Beater
- 36 Vegetable Cutter
- 37 Poultry Plucker
- 37 Electric Scalding
- 38 Potato Peeler
- 39 Vegetable Slicer
- 39 French Fry Cutter
- 40 Potato Spiral Slicer
- 40 Onion Cutter
- 40 Tomato Cutter
- 40 Ice Crusher
- 41 Commercial Blender/
- 42 Orange Juicer
- 43 Juice Extractor
- 43 Sugar Cane Juicer
- 44 Manual Orange Press Machine
- 45 Immersion Blender





Food Mixer



| B20A |

Model	Voltage	Power(kw)	Mixing Flour Capacity(Kg)	Bowl Capacity(L)	Size(mm)
B-20A	220V/50Hz	1.5	5	20L	665*535*1000
B-30A	220V/50Hz	1.8	8	30L	680*540*1100
B-20B	220V/50Hz	1.5	5	20L	615*550*1140
B-30B	220V/50Hz	1.8	8	30L	666*560*1240

Planetary Mixer



| B10K |

Voltage: 220-240V/50-60Hz					
Model	Power(kw)	Mixing Flour Capacity(kg)	Bowl Capacity(L)	Size(mm)	
B10K	0.45	2	10	450*350*640	
B20K	1.1	5	20	580*440*770	
B30K	1.1	6	30	560*600*820	
B40K	2.0	8	40	580*630*1105	



| B20B |

Voltage: 220-240V/50-60Hz					
Model	Power(kw)	Mixing Flour Capacity(kg)	Bowl Capacity(L)	Size(mm)	
B10B	0.37	1	10	450*350*640	
B20B	1.1	3	20	550*435*780	
B30B	1.5	6	30	560*435*862	
B40B	2	8	40	640*500*1040	

Fresh Milk Dispenser



B-L:white paint



B-LS:stainless steel

B7LE

B7LB

B-5LA

B-5LS

Voltage: 220-240V/50-60Hz						
Model		B7LE	B7LB	B-5LA	B-7LA	
Power	KW	0.35	0.35	0.3	0.35	
Bowl Capacity	L	7	7	5	7	
Size	mm	412*235*430	412*235*430	370*220*410	410*250*415	
Model		B-5L	B-7L	B-10L	B-5LS	B-7LS
Power	KW	0.50	0.50	0.50	0.50	0.50
Bowl Capacity	L	5	7	10	5	7
Size	mm	380*240*375	380*240*405	380*240*445	380*240*375	380*240*405

Small Counter Top Dough Mixer



HS-3L

HS-5L

HS-10L

Model	Voltage	Power(kW)	Mixing Flour Capacity	Bowl Capacity(L)	Size(mm)
HS-3L	220-240V/50-60Hz	0.55	1.5Kg/3L	7	470*260*440
HS-5L	220-240V/50-60Hz	0.55	2.5Kg/5L	10	528*278*496
HS-10L	220-240V/50-60Hz	1.10	5Kg/10L	15	630*340*600

Spiral Mixer



HS20A

HS20B

A: Single Speed D: Double Speed					
Model	Voltage	Power(kW)	Capacity(Kg)	Bowl Capacity(L)	Size(mm)
HS20A(-D)	110V/220V-240V/3~380V,50Hz/60Hz	1.5	8	20	730*390*900
HS30A(-D)	110V/220V-240V/3~380V,50Hz/60Hz	1.5	12	34	750*435*900
HS40A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	45	800*480*970
HS50A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	54	850*510*970
HS60A(-D)	220V-240V/3~380V,50Hz/60Hz	3	20	64	850*510*970
Model	Voltage	Power(kW)	Capacity(Kg)	Size(mm)	
HS10B(-D)	110~380V/50~60Hz	0.75	4	550*340*530	
HS20B(-D)	110~380V/50~60Hz	1.5	8	730*390*900	
HS30B(-D)	110~380V/50~60Hz	1.5	12	750*435*900	
HS40B(-D)	220~380V/50~60Hz	3	16	800*480*970	
HS50B(-D)	220~380V/50~60Hz	3	20	850*510*970	
HS60B(-D)	220~380V/50~60Hz	3	25	850*510*970	



HS100A

HS130A

HS130B

HSD: Single Speed HSS: Double Speed					Voltage: 110~380V/50~60Hz				
Voltage: 220~240V/50Hz 380V/50Hz					Model	Power(kw)	Capacity(kg)	Bowl Capacity(L)	Size(mm)
Model	Power(kw)	Capacity(kg)	Bowl Capacity(L)	Size(mm)	HS80A	3.2	33	80	880*560*1100
HSD10T / HSS10T	0.37/0.55	2	10	576*370*700	HS100A/B	4.1	40	100	1080*650*1380
HSD20T / HSS20T	0.9/1.1	8	20	695*395*630	HS130A/B	6.4	50	130	1160*730*1380
HSD30T / HSS30T	1.5/1.5	12	30	810*445*715	HS160A/B	6.4	60	160	1160*730*1380
HSD40T / HSS40T	2.2/1.5/2.2	15	40	875*485*765	HS200A/B	8.6	75	200	1330*840*1560
HSD50T / HSS50T	2.2/1.5/2.2	20	50	925*535*765	HS260A	9	100	260	1330*840*1560

Dough Divider



DD-30BS/36BS



DD-30S/36S



DD-36SH

Voltage: 220-380V/50Hz, 110V/60Hz

Model		DD-30BS/36BS		DD-30S/36S		DD-36SH	
Power	kW	0.75		0.75		0.5	
Dough Weight	(g/pc)	30~100		30~100		30~150	
Output	/	30pcs of dough/time		30pcs of dough/time		36pcs/once	
Size	mm	550*720*1350		710*810*1600		420*450*1250	

Dough Sheeter



QSJ-400TL



QSJ-550L



QSJ-SM550

Voltage: 220-240V/50-60Hz

Model		QSJ-400TL	QSJ-550TL	QSJ-550L	QSJ-400BL	QSJ-550BL	QSJ-650BL	QSJ-SM550	QSJ-SM650
Power	kW	0.4	0.55	0.55	0.4	0.55	0.75	0.55	0.75
Size	mm	1990*840*590	2500*960*590	2700*960*1100	2000*820*1040	2700*960*1100	3100*1060*1100	2700*960*1100	3100*1060*1100

Cake Smearing Machine



CSM-1560

Model	Voltage	Power(kW)	N.W./ G.W.	Size(mm)
CSM-1560	220-240V/50Hz	0.3	25/35kg	500*350*550

Model	Voltage	Power(kW)	Dough Weight(g)	Size(mm)
TM-380L	220-240V/50Hz	0.75kw	50-600	1300*665*1050

Model	Voltage	Power(kW)	Dough Weight(g)	Size(mm)
TM-750L	220-240V/50Hz	0.75kw	50-1250	970*970*1600

Bread Slicer



BS-31B

Model	Voltage	Power(kw)	No. of Slices	Size(mm)
BS-25B	220-240V/50-60Hz	0.25	25	515*625*585
BS-31B	220-240V/50-60Hz	0.25	31	515*625*585
BS-39B	220-240V/50-60Hz	0.25	39	515*625*585
BS-53B	220-240V/50-60Hz	0.25	53	515*625*585

Model	Voltage	Power(kw)	Size(mm)
PM-30	220-240V/50-60Hz	0.37	340*505*700
PM-40	220-240V/50-60Hz	0.39	370*565*715
PM-30T	220-240V/50-60Hz	0.45	463*363*346
PM-40T	220-240V/50-60Hz	0.45	544*363*346

Shaping Machine



TM-380L



TM-750L

Pizza Machine



PM-30



PM-30T

Dough Pressing Machine



| DPM-500A |

Model	voltage	Power(kw)	Dough Weight	Size(mm)
DPM-350A	380V/50Hz	2.2	600Kg/h	1130*610*1002
DPM-500A	380V/50Hz	3	900Kg/h	1300*770*1130

Model	voltage	Power(kw)	Roller size(cm)	Size(mm)
NM-250	220V/50Hz	1.5	19	390*280*860
NM-300	220V/50Hz	2.2	24	440*280*860
NM-350	220V/50Hz	2.2	29	490*280*860
NM-Y110	220V/50Hz	2.2	25	590*650*1080
NM-Y130	220V/50Hz	2.2	30	640*670*1090

Noodle Presses



| NM-300 |



| NM-Y130 |

Pasta Maker



| NMT-160 |

Model	voltage	Power(kw)	Size(mm)
NMT-160	220-240V/50-60Hz	0.55	370*325*405
NMT-180	220-240V/50-60Hz	0.55	390*325*405
NMT-200	220-240V/50-60Hz	0.55	410*325*405
NMT-220	220-240V/50-60Hz	0.75	430*325*405
NMT-240	220-240V/50-60Hz	0.75	450*325*405



| NMT-160A |

Model	voltage	Power(kw)	Size(mm)
NMT-160A	220-240V/50-60Hz	0.55	328*341*400
NMT-180A	220-240V/50-60Hz	0.55	348*341*400
NMT-200A	220-240V/50-60Hz	0.55	368*341*400
NMT-220A	220-240V/50-60Hz	0.75	388*341*400
NMT-240A	220-240V/50-60Hz	0.75	408*341*400

电披萨炉 | Electric Pizza Oven



EP-1ST



EP-2PT



CPO-160



CPO-320



EP-16ST



EP-17ST



型号/Model		EP-1ST	EP-2ST	EP-2PT	CPO-160	CPO-320	EP-16ST	EP-17ST
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz	120V/60HZ	120V/60HZ	220-240V/50HZ	220-240V/50HZ
功率/Power	kW	2	3	3	1.6	3.2	2.4	4.8
尺寸/Size	mm	560*570*280	560*570*440	560*570*440	584*548*279	585*570*530	630*510*305	630*510*535



E01-1



KPZ-60M



KPS-22



KPS-36A

型号/Model	E01-1	KPZ-60M	KPZ-120M	KPS-11/KPS-11A
电压/Voltage	V / Hz	380V/50~60Hz	220-240V/50~60Hz	380V/50~60Hz
功率/Power	kW	4.2	3.6	4.7
尺寸/Size	mm	870*600*345	635*687*456	838*787*456

型号/Model	KPS-12/KPS-12A	KPS-22/KPS-22A	KPS-24/KPS-24A	KPS-36/KPS-36A
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	6.4	6.62	13.2
尺寸/Size	mm	1160*795*445	930*590*825	1160*795*1205



HP-10EV



HP-10ET



HP-13E



HP-19E



HP-33E



HP-33G

型号/Model	HP-10EV	HP-10ET	HP-13E	HP-19E	HP-33E	HP-13G	HP-19G	HP-33G
电压/Voltage	V / HZ	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率/Power	KW	6.7	6.7	12.3	17	27	0.3	0.4
尺寸/Size	mm	1000*826*467	1032*826*467	1173*1079*1061	1533*1124*1125	2048*1410*1186	1270*920*450	1580*1175*450



CO-2F



EC01F



EC01-E



CKF-60

电压/Voltage: 220-240V/50Hz			
型号/Model		CO-2F	CO-8F
功率/Power	KW	2.67	3.1 or 5.1
尺寸/Size	mm	460*570*460	835*770*575
型号/Model		EC01F	EC01-E
功率/Power	KW	4.5	6
尺寸/Size	mm	590*650*560	880*800*600
型号/Model		CKF-60	CKF-120
功率/Power	KW	2.5	4
尺寸/Size	mm	636*708*616	840*755*659
型号/Model		CK02C	CK10C
功率/Power	KW	4.5	6
尺寸/Size	mm	675*640*500	755*640*920



CK10C



型号/Model		EP-E9
电压/Voltage	V / Hz	220-240V/50hz
功率/Power	kW	4
尺寸/Size	mm	840*725*375
型号/Model		CO-80M
电压/Voltage	V / Hz	220-240V/50Hz
功率/Power	kW	2.6
尺寸/Size	mm	519*635*545
型号/Model		EP-F110S
电压/Voltage	V / Hz	220-240V/50~60Hz
功率/Power	kW	2
尺寸/Size	mm	538*563*755



EP-E9



CO-80M



EP-F110S



CO-5DH



CO-5D



CO-5DJ

型号/Model	CO-5DH	CO-5D	CO-5Q	CO-5QH
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	7.5	7.5	0.55
尺寸/Size	mm	905*1280*955	905*1280*955	905*1450*955



CO-5DHJ



CO-8D



CO-8DH

Electric Convection Oven

型号/Model	CO-8D	CO-10D	CO-8DH	CO-10DH
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	15	15	15
尺寸/Size	mm	905*1280*1280	905*1280*1520	905*1280*1520

Gas Convection Oven

型号/Model	CO-8Q	CO-10Q	CO-8QH	CO-10QH
电压/Voltage	V / Hz	220-240V/50~60Hz	220-240V/50~60Hz	220-240V/50~60Hz
功率/Power	kW	1.1	1.1	1.1
尺寸/Size	mm	905*1450*1280	905*1450*1520	905*1450*1520



MF-COE/208-2



MF-COE-280

型号/Model		MF-COE/208-2
电压/Voltage	V / Hz	110V/60Hz
功率/Power	kW	10
BTU/H	/	54000*2
尺寸/Size	mm	966*1012*1738

型号/Model	MF-COE-280	
电压/Voltage	V / Hz	110V/60Hz
功率/Power	kW	10
BTU/H	/	54000
尺寸/Size	mm	966*1012*1568

CE



ECR-266



ECR-206



ECR-201



GCR-366



GCR-306

型号/Model	ECR-266	ECR-268	ECR-206	ECR-201
电压/Voltage	V / Hz	220V/50~60Hz	220V/50~60Hz	3N-380V/50~60Hz
功率/Power	kW	4.5	6	7.3
尺寸/Size	mm	810*630*610	1010*630*770	675*550*1580

型号/Model	GCR-366	GCR-368A	GCR-306
Used Gas	/	LPG/Natural Gas	220V/50~60Hz
功率/Power	BTU/Hr	27880	9280003
尺寸/Size	mm	810*630*610	1010*630*770



ER-4E



GR-6P



GR-8ME

电压/Voltage: 380V/50Hz		Used Gas: LPG/Natural Gas		
型号/Model	ER-4E	ER-6E	GR-4B	GR-6B
功率/Power	kW	8	12	/
尺寸/Size	mm	1170*480*1130	1170*480*1490	1170*480*1490
Used Gas: LPG/Natural Gas				
型号/Model	GR-3P	GR-4P	GR-5P	GR-6P
功率/Power	BTU/Hr	61200	81600	102000
尺寸/Size	mm	1200*550*730	1200*550*905	1200*550*1080
Used Gas: LPG/Natural Gas			电压/Voltage: 220V/50Hz	
型号/Model	GR-7P	GR-8P	GR-6ME	GR-8ME
功率/Power	BTU/Hr	142800	163200	0.245kW
尺寸/Size	mm	1200*550*1435	1200*550*1620	1245*562*1962



Commercial Oven



商用微波炉 | Commercial Microwave Oven

HOT



MO025F4T-S0SE00



MO034NS1-S00E00



MOB34GTQ-S00E

型号/Model		MO025F4T-S0SE00	MO034NS1-S00E00	MOB34GTQ-S00E
电压/Voltage	V / Hz	230V/50Hz	230V/50Hz	230V/50Hz
功率/Power	kW	1.5	1.5	3.2
尺寸/Size	mm	511*432*311	553*488*343	574.2*528.4*367.5



HS CO1-16A

型号/Model		HS CO1-16A	HS CO1-30A
电压/Voltage	V / Hz	208-240v	380-440v
功率/Power	kW	3.5	6.5
尺寸/Size	mm	383*677*610	383*677*610
型号/Model		HS CO2-16A	HS CO2-30A
电压/Voltage	V / Hz	208-240v	380-440v
功率/Power	kW	3.5	6.5
尺寸/Size	mm	403*599*608	403*599*608
型号/Model		HS CO-30A	HS CO-50A
电压/Voltage	V / Hz	380-440v	380-440v
功率/Power	kW	6.5	10
尺寸/Size	mm	615*706*590	715*806*590



HS CO2-16A



HS CO-30A



CVO-1

型号/Model		CVO-1
电压/Voltage	V / Hz	208/240VAC, 50/60 Hz
功率/Power	kW	4.8/5.5
尺寸/Size	mm	450*698*789



CVO-2

型号/Model		CVO-2
电压/Voltage	V / Hz	208/240VAC, 50/60 Hz
功率/Power	kW	8.32/9.6
尺寸/Size	mm	700*698*790



EO-102QE



EO-204QE



EO-306QE



EO-102D



EO-204D



EO-306D

型号/Model	GO-102QE	GO-204QE	GO-206QE	GO-306QE	GO-309QE	EO-101D	EO-102D
电压/Voltage	V / Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	380V/50~60Hz
功率/Power	kW	0.1	0.2	0.2	0.3	0.3	4.4
容量/Capacity	L	1 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 6 tray	3 layer 9 tray	1 layer 1 tray
尺寸/Size	mm	1350*920*680	1340*920*1278	1700*930*1295	1340*920*1750	1760*920*1750	920*640*410
型号/Model	EO-103D	EO-202D	EO-204D	EO-206D	EO-303D	EO-306D	EO-309D
电压/Voltage	V / Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz	380V/50~60Hz
功率/Power	kW	8	8.8	13.2	16	13.2	19.8
容量/Capacity	L	1 layer 3 tray	2 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 3 tray	3 layer 6 tray
尺寸/Size	mm	1640*800*590	920*640*800	1220*850*1230	1640*850*1230	920*640*800	1220*850*1645



GO-102QS



GO-204QS



GO-306QS

电压/Voltage: 220-240V/50~60Hz		Gas Type: LPG/Natural Gas					
型号/Model	GO-103QS	GO-202QS	GO-204QS	GO-206QS	GO-303Q	GO-306QS	GO-309QS
容量/Capacity	L	1 layer 3 tray	2 layer 2 tray	2 layer 4 tray	2 layer 6 tray	3 layer 3 tray	3 layer 6 tray
尺寸/Size	mm	1810*970*810	1050*810*1200	1340*920*1330	1760*890*1330	1340*920*670	1340*920*1750

醒发箱 | Electric Proofer



FH40



FH120



EP-13A



EP-26A



EP-18LC

电压/Voltage: 220-240V/50~60Hz						
型号/Model	FH40	FH60	FH120	EP-13A	EP-16A	
功率/Power	kW	0.3	0.5	0.5	2.6	2.6
No.of Trays	/	3	8	8	13	16
尺寸/Size	mm	490*490*506	636*694*940	838*793*904	490*690*1660	490*690*1800
型号/Model	EP-26A	EP-32A	EP-18LC	EP-36LC	EP-18LD	EP-36LD
功率/Power	kW	2.8	2.8	1.6	1.8	1.8
No.of Trays	/	26	32	18	36	36
尺寸/Size	mm	1000*690*1660	1000*690*1880	590*1020*1800	780*1220*2100	590*1020*1800 780*1220*2100

多功能烤箱 | Multifunction Oven



EOA-81Y



EOA-10-MP



EOA-10-CMP



EOA-10-AC

型号/Model	EOA-81Y	EOA-10-MP	EOA-10-CMP	EOA-10-AC
电压/Voltage	V / Hz	3N-380V/50Hz	3N-380V/50Hz	3N-380V/50Hz
功率/Power	kW	9	18	18
尺寸/Size	mm	847*771*1060	850*770*1050	850*770*1050

多功能烤箱 | Multifunction Oven



EOA-61-CMP



EOA-61-AC



EOA-61-MP



EOA-20-CMP



EOA-20-AC



EOA-41-MX



EOA-61-MX



EOA-51F



EOA-81F

型号/Model	EOA-61-CMP	EOA-61-AC	EOA-61-MP	
电压/Voltage	V / Hz	3N~380V/50Hz	3N~380V/50Hz	3N~380V/50Hz
功率/Power	kW	19	19	18
尺寸/Size	mm	850*770*785	850*770*780	850*770*780
型号/Model	EOA-41-MX	EOA-61-MX	EOA-51F	EOA-81F
电压/Voltage	V / Hz	3N~380V/50Hz	3N~380V/50Hz	3N~380V/50Hz
功率/Power	kW	6	9	9
尺寸/Size	mm	687*681*642	687*681*740	817*771*782 817*771*1060

Vacuum & Packaging Machine

Vacuum Machine



DZ-260T



DZ-400F



DZ-400S

电压/Voltage: 220-240V/50~60Hz

型号/Model	DZ-260T	DZ-400T	DZ-400F	DZ-400FD	DZ-500F
功率/Power kW	0.48	0.9	1.4	1.4	1.5
尺寸/Size mm	510*350*390	550*490*550	550*490*970	550*490*970	652*578*982

电压/Voltage: 220-240V/50~60Hz Pumping Rate: 20m³/h

型号/Model	DZ-400S	DZ-400S-F	DZ-400DS	DZ-400DS-F	DZ-500S
功率/Power kW	1.6	1.6	1.3	1.3	1.6
Seal bar /	410mm*2pcs	410mm*2pcs	410mm*1pcs	410mm*1pcs	510mm*2pcs
尺寸/Size mm	506*540*512	506*540*970	506*540*512	506*540*970	590*540*512
型号/Model	DZ-500S-F	DZ-600S	DZ-600S-F		
功率/Power kW	1.6	2	2		
Seal bar /	510mm*2pcs	510mm*2pcs	510mm*2pcs		
尺寸/Size mm	590*540*970	690*620*512	690*620*970		



DZ-400S-F

Vacuum Tumbler



VT-2D

电压/Voltage: 220-240V/50~60Hz

型号/Model	VT-2D	VT-45	VT-60	VT-80	VT-150
功率/Power W	30	240	240	900	900
容量/Capacity L	20	40	60	100	150
尺寸/Size mm	698*310*485	856*430*906	886*492*979	1083*542*1076	1153*612*1157



VT-60

Tray Sealer



IWM-550

TDQ-1

TDQ-2

Model	Power(kW)	Voltage	Width(mm)	size(mm)
IWM-450	0.33	220V/50Hz	450	700*540*660
IWM-550	4	220V/50Hz	550	875*650*675

Model	Power(kW)	Voltage	Packing speed(min)	size(mm)
TDQ-1	1	220V/50Hz	7-8	630*256*260
TDQ-2	0.6	220V/50Hz	7-8	630*256*260
TDQ-3	1	220V/50Hz	7-8	660*330*290
TDQ-4	0.8	220V/50Hz	7-8	650*296*260

Manual Sausage Clipper



D-1



Model	Clip	Nail length(mm)	Size(mm)
D-1	502/506/503/508	11/11.5/13/14	400*180*610

Plastic Film Sealer



MF-200P



I : Iron P : Plastic A : Aluminum				
Model	Power(kw)	Max.sealing lenth(mm)	Heat time(s)	size(mm)
MF-200I	0.3	200	0.2-1.5	530*360*380
MF-200A	0.3	200	0.2-1.5	80*320*150
MF-200P	0.3	200	0.2-1.5	520*350*380
MF-300I	0.3	300	0.2-1.5	500*110*200
MF-300A	0.4	300	0.2-1.5	85*450*180
MF-300P	0.3	300	0.2-1.5	500*110*200
MF-400I	0.3	400	0.2-1.5	590*110*200
MF-400A	0.6	400	0.2-1.5	540*90*180
MF-400P	0.3	400	0.2-1.5	540*90*180

Cup Sealing Machine



CSM-S2



CSM-D6



CSM-D1



CSM-B9



CSM-D8



CSM-H3



CSM-Q7



CSM-A9



CSM-Q9



CSM-D9

Model	Voltage	Power(kW)	Capacity(cup/h)	Size(mm)
CSM-S2	220-240V/50-60Hz	0.3	300-400	205*305*380
CSM-D6	220-240V/50-60Hz	0.3	300-400	206*350*360
CSM-D1	220-240V/50-60Hz	0.3	300-400	205*265*460
CSM-B9	220-240V/50-60Hz	0.315	300-400	270*260*480
CSM-D8	220-240V/50-60Hz	0.3	300-400	205*265*460

Model	Voltage	Power(kW)	Capacity(cup/h)	Size(mm)
CSM-H3	220-240V/50-60Hz	0.36	300-500	250*340*550
CSM-Q7	220-240V/50-60Hz	0.36	300-400	282*370*540
CSM-A9	220-240V/50-60Hz	0.34	300-400	282*370*540
CSM-Q9	220-240V/50-60Hz	0.36	300-400	282*370*540
CSM-D9	220-240V/50-60Hz	0.3	300-400	205*265*570

Commercial Food Processor



Meat Slicer



MS-300



MS-300B

MS-A : Painted base		MS-B : Polished and anodized base		
Model	MSD-195	MS-220	MS-250	MS-300
Power(kW)	0.20	0.125	0.15	0.25
Slicing Thickness(mm)	0~10	0~10	0~10	0~15
Blade Dia(mm)	195	220	250	300
Size(mm)	384*232*280	575*465*415	575*465*415	615*525*510
Model	MS-220B	MS-250B	MS-300B	
Power(kW)	0.21	0.24	0.27	
Slicing Thickness(mm)	0~13mm	0~13mm	0~17mm	
Blade Dia(mm)	220	250	300	
Size(mm)	410*400*350	470*420*390	590*525*440	



ZB-10L



ZB-350



VC-650L

Model	ZB-6L	ZB-10L	ZB-350	VC-650L
Voltage	V / Hz	220-240V/50-60Hz	220-240V/50-60Hz	230V/50HZ
Power	kW	0.4	0.75	1.8
Capacity	L	6	10	25
Size	mm	680*441*385	760*515*452	500*420*530



TK-22



TK-F22



TC-22

Voltage: 220-240V/50-60Hz

Model	TK-22	TK-32	TK-12A	TK-22A	TK-F8	TK-F22	TK-F32	TC-12	TC-22
Power(kW)	0.85	1.5	0.8	1.1	0.4	0.85	1.5	0.55	0.9
Size(mm)	440*270*385	555*350*560	200*370*420	230*470*445	470*220*355	585*270*390	630*270*440	400*220*450	430*230*510



MG-AL12



MG-22N



MG-JR-12A

Voltage: 220-240V/50-60Hz

Model	MG-AL8	MG-AL12	MG-AL22	MG-12N	MG-22N	MG-32N	MG-JR-12A	MG-JR-22A	MG-JR-32A
Power(kW)	0.45	0.65	0.75	1.1	1.1	1.1	1.5	1.8	2.2
Size(mm)	435*200*385	410*200*385	440*210*370	515*265*315	515*265*315	515*265*315	560*300*360	560*300*360	560*300*360



MG-22



MG-C42A



MC-130L

Voltage: 220-240V/50-60Hz

Model	MG-12	MG-22	MG-C42A	MG-C52A	MC-90T	MC-130L
Power(kW)	0.55	0.75/1.1	4	5.5	0.8	0.85
Size(mm)	429*382*405	479*420*416	1150*620*1065	1302*684*1198	390*500*730	545*330*660

Electric / Manual Meat Mixer



| FME02 |

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Capacity(kg)	Size(mm)
FME02	0.3	13-16	240*220*310
FME03	0.55	20-25	390*220*410
FME04	0.55	26-35	390*220*410
FME05	0.9	35-43	300*240*360
FME06	0.9	39-55	300*240*360



| FMM01 |

Model	Capacity(kg)	Size(mm)
FMM01	11	320*230*300
FMM02	20	420*250*360
FMM03	30	440*310*400
FMM04	40	480*350*450
FMM05	50	550*350*460
FMM06	60	550*380*475

Electric Sausage Stuffer



| ESF-10L |



| ESF-10LK |



| ESF-150 |



| PQ-KN69 |

Model	ESF-10L	ESF-15L	ESF-20L	ESF-25L	ESF-30L
Voltage	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power(kW)	0.12	0.12	0.25	0.25	0.25
Capacity(L)	10	15	20	25	30
Size(mm)	415*315*655	415*315*780	870*470*410	940*470*410	1050*470*410

Model	ESF-10LK	ESF-12LK	ESF-15LK	ESF-150	ESF-260	ESF-260	PQ-KN69
Voltage	110V/60Hz	110V/60Hz	110V/60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power(kW)	0.09	0.09	0.09	0.75	1.10	1.50	1.50
Capacity(L)	10	12	15	15	26	35	35
Size(mm)	370*310*630	370*310*680	370*310*760	600*400*1240	640*480*1240	735*560*1250	560*578*1330

Manual Sausage Stuffer



| SF-3L |

Model	SF-3L	SF-5L	SF-7L	SF-10L	SF-12L	SF-15L	SF-3L	SF-5L	SF-7L
Capacity(L)	3	5	7	10	12	15	3	5	7
Size(mm)	320*280*530	315*275*620	320*280*800	415*315*650	370*300*720	415*315*770	430*200*210	560*200*210	690*200*210



| SFH-7L |



Manual Sausage Slicer



| SS-8 |

Model	Thickness	Size(mm)
SS-8	8mm	337*162*221
SS-18	18mm	337*162*221



| ESS-45 |

Model	Voltage	Power(kW)	Size(mm)
ESS-45	220-240V/50-60Hz	0.135	244*188*327



BS-1650



BS-1650N



Voltage: 220-240V/50-60Hz

Model	BS-1650	BS-2040
Power(kW)	0.75	1.1
Blade Lenght(mm)	1650	2040
Size(mm)	550*920*500	500*470*1200

Voltage: 220-240V/50-60Hz

Model	BS-1650N	BS-1200
Power(kW)	1.1	0.65
Blade Lenght(mm)	1650	1200
Size(mm)	500*550*950	400*480*720

Voltage: 220-240V/50-60Hz

Model	BS-2020
Power(kW)	1.5
Blade Lenght(mm)	2020
Size(mm)	587*670*1584

BS-2020



Meat Tenderizer



EMT-1

Model	Voltage	Power(kW)	Size(mm)
EMT-1	220-240V/50-60Hz	0.45	430*170*420



MT-1

Model	Voltage	Power(kW)	Size(mm)
MT-1	/	/	390*320*440

Hamburger Press



HB-100

Model	Bowl Diameter(mm)	Size(mm)
HB-100	100	290*210*275
HB-130	130	290*210*275
HB-150	150	290*210*275



HB-130S

Model	Bowl Diameter(mm)	Size(mm)
HB-100S	100	265*200*270
HB-130S	130	280*200*270
HB-150S	150	295*200*270

Meatball Forming Machine



MFM-200

Voltage: 220-240V/50-60Hz

Model	Power(kW)	Capacity(pcs/min)	Size(mm)
MFM-200	1.1	300pcs/min	420*360*820
MFM-280	1.1	230pcs/min	640*380*1230
MFM-280S	1.1	230pcs/min	670*380*1240



MFM-280

Meatball Beater



MB-18R

Voltage: 220V/50Hz

Model	Power(kW)	Output	Weight(kg)	Size(mm)
MB-18R	1.5KW	2KG/1	23	320*320*820
MB-20R	1.5KW	2.5KG/1	25	320*350*820
MB-22R	2.2KW	3KG/1	30	370*390*830
MB-24R	3KW	3.5KG/1	35	370*420*830



EMB-18R

Voltage: 220V/50Hz

Model	Power(kW)	Output	Weight(kg)	Size(mm)
EMB-18R	1.5KW	2KG/1	23KG	320*320*820
EMB-20R	1.5KW	2.5KG/1	25KG	320*350*820
EMB-22R	2.2KW	3KG/1	30KG	370*390*830
EMB-24R	3KW	3.5KG/1	35KG	370*420*830
EMB-30R	3KW	8KG/1	50KG	460*410*860

Vegetable Cutter



VC-300



VC-400D



HR-6



VC-5

Model	VC-300	VC-400D	HR-6	HR-9	HR-12
Voltage	/	220-240V/50-60Hz	220V/50Hz or 110V/60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	KW	0.55	0.75	1.8	2
Capacity	L	/	6	9	12
Size	mm	614*246*506	655*325*535	523*316.5*394	523*316.5*444

Model	VC-5	VC-7	VC-10	VC-15
Voltage	/	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power	kW	0.55	0.75	1.10
Capacity	L	5	7	10
Size	mm	360*400*530	380*420*540	400*440*570

Poultry Plucker



| CHZ-N45-S |



| CHZ-40 |



| CHZ-N45 |

Voltage: 220~240V/50~60Hz; 110V/60Hz

Model	CHZ-N45-S	CHZ-N50-S	CHZ-N55-S	CHZ-N60-S	CHZ-40	CHZ-45	CHZ-50	CHZ-55	CHZ-60
Power(kW)	0.55+1.8	1.5+1.8	1.5+1.8	1.5+1.8	0.18	0.55	1.5	1.5	1.5
NW(kg)	66.3	80.1	85.9	93.4	23.68	38	50	53	58
Size(mm)	920*502*842	1020*554*955	1122*602*955	1221*652*955	446*446*680	510*510*800	570*570*890	613*613*890	670*670*890

Voltage: 220V/50Hz

Model	CHZ-65	CHZ-N30	CHZ-N45	CHZ-N50	CHZ-N55	CHZ-N60	CHZ-N65	CHZ-N50-1	CHZ-N80
Power(kW)	1.5	0.15	0.55	1.5	1.5	1.5	1.5	1.5	2.2
NW(kg)	64.1	18	40	50	59	57.5	64.1	53.2	90
Size(mm)	702*703*945	347*347*668	510*510*890	570*570*1100	610*610*1100	670*670*1100	702*703*945	570*570*1100	862*862*1150

Electric Scaldler



| ES-70L |



| ES-120L |

Model	Voltage	Power(kW)	NW(kg)	Capacity(L)	Size(mm)
ES-70L	220-240V/50-60Hz	1.8	18.92	55	350*350*640
ES-120L	220-240V/50-60Hz	3 / 2	30	100	600*500*640

Potato Peeler



| PP-10C |



| PP-10 |



| PP-20 |

Voltage: 220-240V/50-60Hz

Model	PP-10C	PP-15C	PP-30C	PP-10	PP-15	PP-20
Power(kW)	0.55	0.75	1.5	0.55	0.75	0.95
Capacity(kg)	10	15	30	10	20.6	27
Size(mm)	460*450*785	520*500*850	590*580*1020	680*410*960	415*586*1090	465*615*1120

Vegetable Cutter



⚡ VC-861

Model	Voltage	Power(kW)	Size(mm)
VC-861	220-240V/50-60Hz	0.33	410*315*360



⚡ VC-860

Model	Voltage	Power(kW)	Size(mm)
VC-860	220-240V/50-60Hz	0.25	320*240*380

Vegetable Slicer



PS-04



PS-14



PS-12



PS-13

Operated by hand

Model	PS-04	PS-14	PS-12	PS-13
N.W(Kg)	7.3	2.25	6.7	7.6
G.W(Kg)	7.8	2.8	7.3	8.3
Size(mm)	215*175*500	210*210*475	430*320*520	520*260*490

French Fry Cutter



PC004




PC005

Model	Power(kW)	NW/GW(kg)	Size(mm)
PC004	Operated by hand	7/7.25	280*170*215

Model	Power(kW)	NW/GW(kg)	Size(mm)
PC005	Operated by hand	6.5/7	290*200*210

Potato Spiral Slicer



H001

Model	Power(kW)	NW/GW(kg)	Size(mm)
H001	By hand	1/1.2	250*120*140



H002

Model	Power(kW)	NW/GW(kg)	Size(mm)
H002	0.02	6.3/6.67	460*160*180

Onion Cutter



TS-4

TS-4	Carton:450*210*210mm
TS-5.5	Carton:450*210*210mm

Tomato Cutter



DRB-SDYC

Model	Number of petals	Processing capacity	Onion diameter	Size(mm)
DRB-SDYC	24 petals	300-700pcs/hour	within 155mm	280*170*215

Ice Crusher



MIC-118

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Output Capacity(kgs/h)	Size(mm)
MIC-108	0.2	200	400*300*380
MIC-108P	0.18	120	400*300*380
MIC-118	0.18	200	260*400*420



MIC-128

Voltage: 220-240V/50-60Hz			
Model	Power(kW)	Output Capacity(kgs/h)	Size(mm)
MIC-128	0.18	200	480*420*580
MIC-128L	0.2	200	400*490*620

Commercial Blender



BL-818S



BL-16



BL-9001



BL-9002S



BL-9003S



BL-9005S



BL-9006



BL-818B



BL-818C



BL-818D

Voltage: 220-240V/50-60Hz										
Model	BL-818S	BL-16	BL-9001	BL-9002S	BL-9003S	BL-9005S	BL-9006	BL-818B	BL-818C	BL-818D
Power(kW)	1.3	1.8	1.8	1.8	1.8	1.3	1.3	1.3	1.3	1.3
Jug Capacity(L)	1.5	1	1	1.5 / 2	2	1	1.5L	1	1	1
Size(mm)	250*220*420	220*220*490	220*220*490	220*220*490	220*220*490	250*220*420	250*220*420	250*220*420	250*220*420	250*220*420

Orange Juicer



MF-2000E-2

Model	Voltage	Power(kW)	Size(mm)
MF-2000E-1	220-240V /50-60Hz	0.12	400*330*790
MF-2000E-2	220-240V /50-60Hz	0.12	400*330*790



CJ-50MH



CJ-50MC



CJ-50MS

Model	Voltage	Power(kW)	N.W./G.W.(kg)	Size(mm)
CJ-50MH	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.65/9.55	375*245*460
CJ-50MC	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.15/8.95	200*425*228
CJ-50MS	220V-240V~ 50/60Hz,110V-120V~ 60Hz	0.25	8.0/8.7	200*425*228

Juice Extractor



MF-A2000



MF-B2000

Voltage: 220-240V/50-60Hz

Model	MF-A2000	MF-A3000	MF-B2000	MF-B3000
Power(kW)	0.55	0.37	0.55	0.55
Capacity(kg/H)	100~120Kg/h	80~100Kg/h	100~120Kg/h	80~100Kg/h
Size(mm)	430*350*450	340*270*360	430*350*450	340*270*360

Sugar Cane Juicer



MF-L80



MF-T80



MF-L80N



MF-T80N

Voltage: 220-240V/50-60Hz

Model	MF-L80	MF-T80	MF-L80N	MF-T80N
Power(kW)	1.1	0.35	1.1	0.35
Capacity(kg/H)	300	200	200	300
Size(mm)	480*380*780	480*380*580	480*380*780	480*380*580

Manual Orange Press Machine



HJ-2



yellow



HJ-P



HJ-U



red



HJ-WS



grey



black



HJ-G



HJ-A1



HJ-D

Model	HJ-2	HJ-P	HJ-U	HJ-WS	HJ-G	HJ-A1	HJ-D
Weight	10.8	13.2	13.5/15	10.6	9.5	13.5	15
QTY/CTN	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn	1pcs/ctn
Size(mm)	185*150*375	195*165*380	374*209*485	230*185*410	265*205*500	85*150*410	230*185*515

Immersion Blender



Model	Voltage	Power(kW)
MIB350CF	220-240V/50-60Hz	0.35
MIB350CV	220-240V/50-60Hz	0.35
MIB500LF	220-240V/50-60Hz	0.5
MIB750LF	220-240V/50-60Hz	0.75
MIB750LV	220-240V/50-60Hz	0.75



| MIB350CF |



| MIB750LF |



| MHM-750SW |



| MHM-550S |

Model	Voltage	Power(kW)	Size(mm)
MHM-550S	220-240V/110V	0.35	306*87
MHM-550SW	220-240V/110V	0.35	306*87
MHM-350S	220-240V/110V	0.35	306*87
MHM-350SW	220-240V/110V	0.35	306*87
MHM-750S	220-240V/110V	0.75	331*113
MHM-750SW	220-240V/110V	0.75	331*113